

OLYMPUS

Your Vision, Our Future

**VISERA
ELITE II**

ENDO EYE 3D 10 MM

Video Telescope



ENDOEYE 3D 10 MM

3D-Image Rotation without Loss of Horizon

- Change the view direction while maintaining horizontal orientation of images, enabling a continuous critical view in 3D

Chip-on-the-Tip Technology

- Bright, clear, and natural 3D depth perception
- Focus-free handling; no manual focusing required

Autoclave Compatibility

- Reduced costs compared with other sterilization methods

Full Control During Surgery

- Three programmable remote control buttons

Plug and Play

- Simple to set up and easy to use

Ordering Information

Order Number	Outer Diameter	Direction of View	Field of View	Working Length	Max. Insertion Portion Width	Cable Length	Weight
WA50080A	10 mm	0°	67°	330 mm	10.07 mm	2780 mm	290g
WA50082A	10 mm	30°	67°	335 mm	10.20 mm	2780 mm	290g

Specifications

Reprocessing Methods	Autoclavable, ETO, STERRAD, washer-disinfector		
	Operating conditions	Ambient temperature	10 to 35°C (50 to 95°F)
Ambient Conditions	Storage conditions	Relative humidity	30 to 85%
		Temperature	10 to 40°C (50 to 104°F)
	Transport conditions	Relative humidity	30 to 75%
		Temperature	-47 to 70°C (-53 to 158°F)
Classification of ME Equipment and ME Systems	Protection against electric shock: Classification of applied parts	Type BF	
	Protection against harmful ingress of water or particulate matter	IPX7	

Specifications, design, and accessories are subject to change without any notice or obligation on the part of the manufacturer.

OLYMPUS

OLYMPUS EUROPA SE & CO. KG
Postbox 10 49 08, 20034 Hamburg, Germany
Wendenstrasse 14-18, 20097 Hamburg, Germany
Phone: +49 40 23773-0, Fax: +49 40 233765
www.olympus-europa.com



E0492493EN · 1.000 · 05/17 · PR · ED