SIRONA CONNECT

JOIN US IN THE WORLD OF DIGITAL IMPRESSIONS.

SIRONA.COM

sirona.

PRACTICE LABORATORY



Irona

THE BENEFITS FOR DENTISTS:

SIMPLE PROCESS

You simply scan, check and send. And that's all. With Sirona Connect you can make digital impressions of the whole jaw in no time at all and send the data directly to your dental laboratory.

3 CAMERA OPTIONS

Very cost-effective, tried and tested many times, or powder-free and in natural colors. Simply choose the intraoral scanner that meets the digital requirements of your practice.

PRECISE IMAGES

Unrivalled scanning precision and a simpler workflow compared to conventional impression-taking. This ensures high-quality impressions, even for beginners.



THE BENEFITS FOR DENTAL TECHNICIANS:

OPEN INTERFACES

You receive the data and can process it flexibly. Thanks to open interfaces you can determine your ideal digital workflow yourself.

VARIOUS PRODUCTION OPTIONS

With Sirona Connect you can make the most of the benefits of Sirona's inLab system, transfer jobs to the central CAD/ CAM production facility or work with existing CAD/CAM systems.

RECRUITMENT OF NEW CUSTOMERS

Sirona has the largest user base of dentists taking digital impressions - worldwide. In other words, the Sirona Connect portal gives you access to numerous new customers.

SIRONA CONNECT. THE SMART CHOICE FOR DENTAL PRACTICES AND LABORATORIES.

Digital impressions offer many benefits, all under one name: Sirona Connect. This is by far the most innovative and, at the same time, the most individual solution for dentists who does not want to miss the digital connection to the dentistry of tomorrow. Sirona Connect gives you the choice between the three

best intraoral scanners on the market – completely in line with the requirements of your practice. And for dental technicians, Sirona Connect means above all: Flexibility. Thanks to the open data interface, you can process orders from the practice quickly, reliably and efficiently. Enjoy every day. With Sirona.






INCREASED EFFICIEN CY WITH A DIGITAL WORK FLOW.

Compared to conventional impressions, digital impression-taking offers you decisive benefits. Sirona Connect reduces the number of processing steps necessary in the practice and laboratory. You can concentrate on the essentials: on the wellbeing of your patients and on the precise quality of the restoration for high-quality esthetics.

PRACTICEPORTALLABOHOW SIRONA CONNECT WORKS:





APOLLO DI

The most cost-effective start to digital impression-taking. Simple, intuitive handling, ease and precision.



CEREC Bluecam Scan coated jaws with the highest level of precision. Reliable, efficient and proven many times over.




CEREC Omnicam Unsurpassed handling, powder-free scanning and precise 3D exposures in natural colors.



DIRECT DATA TRANSMISSION between practice and laboratory via the Sirona Connect portal.



inLab SOFTWARE 4.2 with intuitive user interface and innovative design tools to receive and process digital impression data.



MILLING AND GRINDING of restorations and pin models with the inLab MC XL.

OPTIONAL PRODUCTION OF SLA MODELS

and/or restorations via a production center, e.g. infiniDent.

OPEN INTERFACES

to generate restorations or models with other CAD/CAM systems.

DIGITAL IMPRESSIONS IN THE DENTAL PRACTICE. SIMPLICITY RIGHT FROM THE START.

Profit from the benefits of the digital workflow with the diversity of the camera options offered by Sirona Connect: short scanning times, intuitive handling, improved hygiene and, above all, greater patient comfort. The innovative imaging technique and modern treatment methods will enhance the prestige of your dental practice.

1. SCAN	2. CHECK	3. SEND
OPTICAL IMPRESSION with one of three intraoral scanners from Sirona. Intuitive operation, quick scanning processes and high level of precision.	CHECKING AND ASSESSING the digital impression on the monitor. Scanning with a 3D preview allows you to recognize imme- diately whether adjustments are necessary.	SEND THE DATA directly to the laboratory. Within a few seconds you can upload the data plus a detailed job de- scription via the Sirona Connect portal. The com- missioned laboratory will give you feedback promptly if required.
You can already preview the three-dimensional data model during the scanning process.	Display of the occlusal contact points and comparison with the markings of the articulating paper. You can draw in the preparation margin yourself or you can leave this to the laboratory.	You can send the laboratory additional information such as patient photos. There are no additional costs for each data transfer.



INTUTIVE SCANNING. CHOICE OF THREE HIGH-TECHNER STANNING. CHOICE OF THREE Usingle operation Usingle

CEREC Omnicam, CEREC Bluecam and APOLLO DI. Three cameras make it even easier to start in the digital impression. Each dental practice has its own requirements. With Sirona Connect, you can choose between the three best intraoral scanners on the market – ranging from particularly costeffective and tried-and-tested to powder-free and in natural colors.





APOLLO DI, the specially developed intraoral scanner for cost-efficient digital impressions.

Sirona Connect Portal) in an open STL format for processing in other CAD/CAM systems.

OPEN APOLLO DI*:

* Not available in all countries.

Export of digital impression data (captured with the APOLLO DI in the practice and received via the



ROVEN MAN TIMES OVER

CEREC AC

The CEREC Bluecam scans coated surfaces with

impressive precision and efficiencu

SIRONA CONNECT POR TAL. THE DIRECT LINK BETWEEN PRACTICE A ND LABORATORY.

The most frequently used network for digital impressions worldwide makes teamwork easier. Fast and reliable transfer of model data and order details. No additional charge is made for each data transmission.

1. SEND



directly from the CEREC Connect or APOLLO Connect software. The smallest data set size is uploaded in no time at all. This allows you to react quickly and saves time and money. You can also send your data with anonymous reference numbers instead of with patient names.

2. RECEIVE



As a dental technician you are informed immediately by e-mail or via the Sirona Connect App that you have received a job. You can monitor your jobs anywhere and release them for processing. Jobs are downloaded with the inLab software. You decide whether to continue producing models or restorations.



3. FEEDBACK



13 5

DIRECT COMMUNICATION

on model data. You can also transfer additional information (e.g. patient photos). Direct feedback reduces the need for subsequent adjustments. You can even communicate with the technician while the patient is being treated.

DIGITAL IMPRESSI ONS IN THE LAB. YOUR LINK TO A DI GITAL PRACTICE.

As a dental technician, you can profit from the digital workflow with Sirona Connect. The direct transmission of data is not only free of charge, but also more reliable and faster than any impression tray. You can concentrate fully on your key skills: creating top-quality esthetic restorations. The Sirona Connect system with its open interfaces offers you numerous production options.

CUSTOMER COUISITION Take advantage of the largest dental network with many thousands of users of digital impressions worldwide. Direct feedback improves cooperation and customer loyalty.

PROCESSING WITH inLab

\square	
	PI
nН	HI
I —	

DESIGN AND PRODUCTION USING THE inLab SYSTEM

You can process downloaded jobs directly with the inLab software and start designing the restoration immediately. The inLab system provides numerous benefits in terms of material and design. Depending on your requirements, you can optimize your laboratory workflow using individual inLab components or the whole system.

More information on the inLab 4.2 software, the inLab MC XL milling and grinding unit, as well as the other inLab laboratory solutions can be found on pages 14-17 and 20-21.

PROCESSING. E.G. WITH infiniDent



MODELS AND RESTORATIONS BY CENTRAL PRODUCTION FACILITY

Sirona Connect gives you access to modern model solutions such as SLA models produced by infiniDent. In addition to producing highly precise models, you can use infiniDent as a service for external production of your restorations. Simply send your design data and take advantage of an extended range of materials and indications.

More information on infiniDent and other options for model production can be found on pages 18/19

PROCESSING WITH THIRD-PARTY SYSTEMS



OPEN APOLLO DI*

other CAD/CAM systems.

the inLab software as an open STL

OPEN inLab

CAM sustems.

OPEN INTERFACES

You can use Sirona Connect to export your scanned or design data according to your requirements - for example, to use existing CAD/CAM systems or to gain access to new implantation options.

Export of scan-data (acquired in the Export of model design data in the practice with APOLLO DI and received in Lab software as an open STL forvia the Sirona Connect portal) in an mat for processing in other CAD/ open STL format for processing in CAM systems.

OPEN GALILEOS Implant

Export of restoration design data in Export of inLab restoration data for import into the implant planning format for processing in other CAD/ software GALILEOS Implant.

OPEN Model

OPEN 3shape


Export of impression data from Sirona Connect in a format compatible with 3Shape Dental Designer.

ABORATORY

* Not available in all countries

CONTINUE THE DIGITAL WORKFLOW WITH inLab SOFTWARE 4.2.

Consistent, cost-effective and innovative. Using the new inLab software 4.2 - the heart of the inLab system – you can manage your entire digital production process, i.e. from downloading digital impressions and design to milling and grinding restorations and models.




The in-house design and fabrication options with inLab fit in ideally with the Sirona Connect workflow.

COMPREHENSIVE APPLICATIONS AND DESIGN OPTIONS:



DESIGN SEVERAL RESTORATIONS AT THE BIOGENERIC OCCLUSAL SURFACE DESIGN SAME TIME The software adapts to your individual way of working, especially in complex restoration cases.



The individual tooth situation is analyzed with metrical precision and the occlusal morphology reconstructed automatically and naturally




For improved esthetics of anterior teeth,

patient photos can be blended into the 3D

SMILE DESIGN

design model




CUSTOM ABUTMENTS The optimally aligned restoration axis and the abutment design via the top-down method offer the highest standard of reliability and flexibility


> You can find more information on the inLab system and the design options of inLab SW 4.2 in the separate inLab brochure.

30RATORY



As an inLab user, you can process digital impressions directly and retain most of the added value in your own laboratory.





VIRTUAL ARTICULATOR

Dynamic occlusal relationships can be taken into consideration during the design process via the virtual articulator.





CEREC Guide Cost-effective production of surgical guides on the basis of your dental planning data. Precise and economical fabrication using inLab MC XL.

DIGITAL IMPRESSIONS GEARED TO A FULL RANGE OF INDIC ATIONS.

JUST IN TIMI RODUCTIO

You know best which material is most suitable for your esthetic considerations and how you can work most efficiently. You decide how much digitalization is right for your laboratory. Sirona Connect allows a high degree of flexibility. You can continue the in-house production process with Sirona inLab units, work with other CAD/CAM systems or simply leave the job to a partner laboratory you can rely on.

ab MC XL

BENEFITS OF inLab MC XL:

PRODUCTION OPTIONS

The inLab MC XL is the milling and grinding unit with the broadest range of applications and is suitable for almost every indication.

JUST-IN-TIME BENEFITS

You can benefit from high speed and precision and ensure more economic efficiency for your laboratory thanks to a large processing volume.

MILLING AND GRINDING

You can change from grinding to milling in just a few simple steps - according to the material and required application.

Milling of zirconium oxide and polymers In addition to grinding, you can mill zirconium

ABORATOI

0 0



Efficient use of materials The "nesting" and "stacking" function of the inLab software supports cost-effective milling and grinding. You can fabricate several restorations using one block of material in its entirety and benefit from the favorable prices per unit as well as optimal machine utilization, e.g. by grinding or milling overnight.

EXTERNAL PRODUCTION OF RESTORATIONS

PRODUCTION OF RESTORATIONS USING A THIRD-PARTY SYSTEM Thanks to the OPEN inLab interface you can export restorations designed in the inLab software in the open STL format and carry out processing using a third-party CAD/CAM system.







oxide and polymer materials with the inLab MC XL. This means that you benefit from an enhanced initial fit and a faster production process.



Wet grinding of sintered non-precious metals inLab "goes metal". If you choose the inLab MC XL and the new inCoris CC sintered metal blocks, you are opting for the full range of applications with metal and ceramics. And thanks to the unique method of wet grinding, you are also opting for hygienically safe working.



Full range of laboratory indications

Sirona Connect has a high level of production flexibility, as demonstrated clearly by the variety of indications offered by the inLab system, which range from inlaus, onlaus, veneers, partial and full crowns to multi-unit bridges, custom abutments, telescopes, bars and attachments.


PRODUCTION OF RESTORATIONS USING A PRODUCTION PARTNER

Alternatively, you can have your restorations fabricated by a central production facility such as infiniDent. You simply send your design data and benefit from an extended range of materi als and indications



MODERN MODEL PROD UCTION BASED ON DIGITAL LAB DATA.

Digital data makes designing easier – and offers new options for modern model production, such as the SLA models from infiniDent^{*}. All you have to do is forward the data from the inLab software to Sirona's central production facility. This saves valuable working time.






The finished SLA model pinned on plates will be delivered to your laboratory within a few daus.



You can mount the SLA model in the articulator as usual by using adapter plates.

ADDITIONAL MODEL PRODUCTION





* Not available in all countries.

ABORATORY

SLA MODEL MADE OF ACRYLATE POLYMER - More robust and abrasion-resistant than stone - Segmentation with flexible saw cuts - Stump can be delivered with gingiya mask

PRODUCTION OF MODELS USING A PRODUCTION PARTNER



Thanks to the OPEN Model interfaces, you can export the model data designed on the inLab system in the open STL format and use alternative production processes such as a 3D printer to produce models.

inLab SETS NEW STAN DARDS, **NOT LIMITATIONS**.

inLab will improve your laboratory workflow on the basis of first-class dental know-how, innovative software and hardware, as well as open interfaces.



inEos X5: THE MOST INNOVATIVE SCANNER

The new 5-axis extraoral scanner with robot arm, innovative model positioning, new scanning technology and open interface is very impressive by virtue of its unrivalled precision, flexible handling, short scanning times and an extremely broad range of applications.

- Fully automated with manual scanning
- Fast innovative 5-axis scanning technology
- Outstanding precision



OPEN inEos Scanning data can be exported as an open STL format for processing in other CAD/CAM systems.

inLab MC XL: METAL PROCESSING AND MILLING

MILLING

Wet grinding of presintered metal, milling of zirconium oxide and
polymer materials – all in the inLab MC XL. Decide in favor of the
full range of applications, for precise working and for the benefits
of production in your own laboratory.The inFire HTC speed sinters inCoris TZI and inCoris ZI in record
time thanks to the Superspeed function. With its large capacity it
will boost your productivity and can process ceramics and NPM
materials in a single chamber.

- Wet grinding of presintered metal inCoris CC
- High precision milling of zirconium oxide and polymer materials

You can find more information about the inLab system, other individual components and the variety of materials and indications in the separate inLab brochure or at your specialized dealer.



inFire HTC speed: SINTERING IN 10 MIN.*

- Sintering in record time
- O Sintering of ceramics and metal in one chamber
- Large furnace capacity (for up to 60 units)

* e.g. crowns.

TECHNICAL DATA **DENTAL PRACTICE.**

Features	APOLLO DI	CEREC AC Connect with Bluecam	CEREC AC Connect with Omnicam
Advantages	 Specifically developed for digital impressions Screen with multi-touch control 	 Scans coated surfaces in a short time with impressive precision and efficiency Implant treatment possible using intraoral scan body 	 Color display facilitates differenti- ation between tooth and gingiva Implant treatment possible using intraoral scan body
Interfaces	OPEN inLab, OPEN Model, OPEN Galileos, OPEN 3Shape, OPEN APOLLO DI	OPEN inLab, OPEN Model, OPEN Galileos, OPEN 3Shape	OPEN inLab, OPEN Model, OPEN Galileos, OPEN 3Shape
Imaging technique	Filming Data is acquired continuously with a flowing imaging technique (no blurred images).	Photographing A 3D model is achieved on the basis of only a few individual images.	Filming Data is acquired continuously with a flowing imaging technique (no blurred images). The result is a 3D model in color.
Distance from the tooth	The camera is moved about 2–20 mm above the tooth surface.	The camera is placed directly on the tooth.	The camera is moved about 0–15 mm above the tooth surface.
Camera dimensions	 Overall length: 220 mm Length of the camera sleeve: 64 mm Height and width of the tip: 18.5 mm x 23 mm 	 Overall length: 206 mm Length of the camera sleeve: 86 mm Height and width of the tip: 22 mm x 17 mm 	 Overall length: 228 mm Length of the camera sleeve: 108 mm Height and width of the tip: 16 mm x 16 mm
Camera weight	100 g	270 g	313 g
Can be upgraded to the chairside system		•	Conversion only possible at the factory
3D scans in color			•
Powder-free	Easy spraying with APOLLO DI SpeedSpray	Easy powdering with CEREC Optispray	•
Dimensions (H x W x D)	117 cm x 64 cm x 45 cm	121 cm x 36 cm x 47 cm	121 cm x 36 cm x 47 cm
Weight	approx. 30 kg	approx. 43 kg	approx. 43 kg
Monitor	21.5", resolution: 1,920 x 1,080 pixels	19", resolution: 1,280 x 1,024 pixels	19", resolution: 1,280 x 1,024 pixels
Power supply	 Standard mains power supply (100–240 V, 50/60 Hz) 	 Standard mains power supply (100–230 V, 50/60 Hz) Optional: Uninterruptible power supply (short-term battery) 	 Standard mains power supply (100–230 V, 50/60 Hz) Optional: Uninterruptible power supply (short-term battery)
Network connection	WLAN	LAN and WLAN	LAN and WLAN
Software	 APOLLO Connect SW Acquisition of preparation, antagonist and bite situation Computation of the 3D model Insertion of the preparation margin Link to the Sirona Connect portal 	CEREC Connect SW 4.2 Acquisition of preparation, antagonist and bite situation Computation of the 3D model Insertion of the preparation margin Link to the Sirona Connect portal	CEREC Connect SW 4.2 Acquisition of preparation, antagonist and bite situation Computation of the 3D model Insertion of the preparation margin Link to the Sirona Connect portal
Data format	.dxd via the Sirona Connect portal	.dxd via the Sirona Connect portal	.dxd via the Sirona Connect portal
Sirona Connect portal	Requirements: Internet connection, E-	mail address, one-off registration with	www.sirona-connect.net

TECHNICAL DATA **DENTAL LAB**.

Software	
inLab SW ≥3.8x and inLab SW 4.x	 Log-in to the Sirona Connect portal Design of restorations Export of scan or design data via open in infiniDent interface (for delivery)
Production	
inLab MC XL	Inlays, onlays, veneers, crowns, copings, b Material: Feldspar/glass ceramic, lithium disilicate, z
infiniDent Central production facility	Copings, bridge frameworks (zirconium oxio Material: Zirconium oxide, aluminum oxide, infiltratio
Sirona Connect portal	Requirements: Internet connection, E-mail a

Subject to technical modifications.

nterfaces

oridges, abutments, models, telescopes, bars, attachments

zirconium oxide, aluminum oxide, infiltration ceramic, polymers

ide and metal up to 16 units), models

on ceramic, non-precious metals, polymers

address, one-off registration with www.sirona-connect.net

Subject to technical modifications.



THE SIRONA CONNECT BROCHURE AS AN E-PAPER The free e-paper version of this brochure with digital extras and additional information can be found at sirona.com

ALWAYS AT THE FOREFRONT OF INNOVATION!

As global innovation leader for dental equipment, we continuously invest in research and thus in the future of modern dentistry. By networking digital technologies with integrated solutions and optimizing the treatment workflow, we create improved treatment results, more comfort and safety for the patient as well as time and cost savings in everyday work. The combination of constant innovative power and globally growing sales and service structures makes Sirona the global market leader trusted by thousands of practices and labs around the world. **Enjoy every day. With Sirona.**



CAD/CAM systems From pioneer to new standard. For almost 30 years we have been developing digital dentistry and creating new possibilities for the future practice and lab.



Imaging systems Best image quality with the lowest dose. More than 100 years of developing x-rays for the dental practice make us the number 1 innovation partner.



Treatment centers The business card of modern practices. We are striving to create the ideal ergonomic and innovative center. Individually tailored to the well-being and demands of the patient and dentist.



Instruments

GLOBAL

Advantages that speak for themselves. We make sure that we provide the right balance of proven quality, individual ergonomics and innovative technology for user-friendly work. Hygiene systems Competence that gives you safety. When it comes to hygiene in the practice, we do not take any shortcuts.

sirona.

The Dental Company